



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H01/10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日11時30分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-1

樣品報告編號		C1130710C				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0.0	NIEA E230.55B	6	
以下空白								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年07月09日11時35分
 採樣地點：高雄大學館 338 號 H02/4F 收樣時間：113年07月10日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
 採樣方法：--- 報告編號：C1133004-2
 採樣行程代碼：---

樣品報告編號		C1130710D				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年07月09日11時40分
 採樣地點：高雄大學館 336 號 H03/4F 收樣時間：113年07月10日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
 採樣方法：--- 報告編號：C1133004-3
 採樣行程代碼：---

樣品報告編號		C1130710E				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
								

檢驗室地址：桃園市中壢區遠東路 128 號 聯絡人：陳秀雲
 電話：(03)455-8017 FAX：(03)463-5887



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1131C3004
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：家興人力資源顧問股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：113年07月09日11時45分
採樣地點：高雄大學館 338 號 H04/1F (高雄市楠梓區)	收樣時間：113年07月10日
採樣單位：御安淨水企業有限公司	報告日期：113年07月17日
採樣方法：---	報告編號：C1133004-4
採樣行程代碼：---	

樣品報告編號		C1130710F				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
<div style="border: 2px solid blue; padding: 10px; display: inline-block; font-size: 2em; font-weight: bold;">PASS</div>								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年07月09日11時50分
 採樣地點：高雄大學館 338 號 H05/1F 收樣時間：113年07月10日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
 採樣方法：--- 報告編號：C1133004-5
 採樣行程代碼：---

樣品報告編號		C1130710G				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								

PASS



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年07月09日12時00分
 採樣地點：高雄大學館 H07/A 棟 7F 收樣時間：113年07月10日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
 採樣方法：--- 報告編號：C1133004-7
 採樣行程代碼：---

樣品報告編號		C1130710I				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1 倍 / 0 , 0	NIEA E230.55B	6	
以下空白								
PASS								

檢驗室地址：桃園市中壢區遠東路 128 號 聯絡人：陳秀雲
 電話：(03)455-8017 FAX：(03)463-5887



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年07月09日12時05分
 採樣地點：高雄大學館 H08/A 棟 10F 收樣時間：113年07月10日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
 採樣方法：--- 報告編號：C1133004-8
 採樣行程代碼：---

樣品報告編號		C1130710J				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0.0	NIEA E230.55B	6	
以下空白								
								



元智大學環科中心檢測實驗室 樣品檢驗報告

委託單位：御安淨水企業有限公司
委託者地址：桃園市平鎮區中豐路南勢二段 127 號
受檢單位：家興人力資源顧問股份有限公司
行業別：自述業別
採樣地點：高雄大學館 H09/1F 飲水機
(高雄市楠梓區)

委託編號：YZ1131C3004
樣品基質：飲用水
檢測目的：定檢
採樣時間：113年07月09日12時10分
收樣時間：113年07月10日

採樣單位：御安淨水企業有限公司
採樣方法：---
採樣行程代碼：---

報告日期：113年07月17日
報告編號：C1133004-9

樣品報告編號		C1130710K				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0, 0	NIEA E230.55B	6	
以下空白								
		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H10/12F 飲水機
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日12時15分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-10

樣品報告編號		C1130710L				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								

PASS



國環檢證字號：041(原環署環檢字第 041 號)

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年07月09日12時20分
 採樣地點：高雄大學館 H11/12F 飲水機 收樣時間：113年07月10日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
 採樣方法：--- 報告編號：C1133004-11
 採樣行程代碼：---

樣品報告編號		C1130710M				檢驗 方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年07月10日 11時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								
								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館338號H01/10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日11時30分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-12

樣品報告編號		C1130710C				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H02/4F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日11時35分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-13

樣品報告編號		C1130710D				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
行業別：自述業別 採樣時間：113年07月09日11時40分
採樣地點：高雄大學館336號H03/4F 收樣時間：113年07月10日
(高雄市楠梓區)
採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
採樣方法：--- 報告編號：C1133004-14
採樣行程代碼：---

樣品報告編號		C1130710E				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 338 號 H04/1F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日11時45分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-15

樣品報告編號		C1130710F				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0.0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司 委託編號：YZ1131C3004
 委託者地址：桃園市平鎮區中豐路南勢二段127號 樣品基質：飲用水
 受檢單位：家興人力資源顧問股份有限公司 檢測目的：定檢
 行業別：自述業別 採樣時間：113年07月09日11時50分
 採樣地點：高雄大學館338號H05/1F 收樣時間：113年07月10日
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司 報告日期：113年07月17日
 採樣方法：--- 報告編號：C1133004-16
 採樣行程代碼：---

樣品報告編號		C1130710G				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0.0	NIEA E203.56B	100	
以下空白								
								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H06/B 棟 7F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日11時55分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-17

樣品報告編號		C1130710H				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H07/A 棟 7F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日12時00分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-18

樣品報告編號		C1130710I				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H08/A 棟 10F
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日12時05分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-19

樣品報告編號		C1130710J				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0, 0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H09/1F 飲水機
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日12時10分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-20

樣品報告編號		C1130710K				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0.0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1131C3004
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：家興人力資源顧問股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：113年07月09日12時15分
採樣地點：高雄大學館 H10/12F 飲水機 (高雄市楠梓區)	收樣時間：113年07月10日
採樣單位：御安淨水企業有限公司	報告日期：113年07月17日
採樣方法：---	報告編號：C1133004-21
採樣行程代碼：---	

樣品報告編號		C1130710L				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0.0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：家興人力資源顧問股份有限公司
 行業別：自述業別
 採樣地點：高雄大學館 H11/12F 飲水機
 (高雄市楠梓區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3004
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年07月09日12時20分
 收樣時間：113年07月10日
 報告日期：113年07月17日
 報告編號：C1133004-22

樣品報告編號		C1130710M				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲水機						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年07月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								



Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H01/ 10F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:30
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-1

Sample Report Number		C1130710C				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								

PASS



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H02/ 4F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:35
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-2

Sample Report Number		C1130710D				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								
PASS								



Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.336 H03/ 4F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:40
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-3

Sample Report Number		C1130710E				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								

PASS



Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
 YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H04/ 1F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:45
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-4

Sample Report Number		C1130710F				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								
			PASS					



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H05/ 1F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:50
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-5

Sample Report Number		C1130710G				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
PASS								



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H06/ Building B 7F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:55
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-6

Sample Report Number		C1130710H				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
				PASS				



Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H07 /Building A 7F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:00
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 07/17/2024
Report Number: C1133004-7

Sample Report Number		C1130710I				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								
PASS								



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H08 /Building A 10F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:05
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-8

Sample Report Number		C1130710J				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								
			PASS					



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H09/ 1F water dispenser

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:10
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-9

Sample Report Number		C1130710K				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								

PASS



Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
 YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan
 County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H10/ 12F water dispenser

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:15
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-10

Sample Report Number		C1130710L				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								





Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
 YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H11/ 12F water dispenser

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:20
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 07/17/2024
Report Number: C1133004-11

Sample Report Number		C1130710M				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	07/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H01/ 10F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:30
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-12

Sample Report Number		C1130710C				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 · 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H02/ 4F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:35
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-13

Sample Report Number		C1130710D				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.336 H03/ 4F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:40
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 07/17/2024
Report Number: C1133004-14

Sample Report Number		C1130710E				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H04/ 1F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:45
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd **Report Date:** 07/17/2024
Sampling Method: --- **Report Number:** C1133004-15
Sampling Code: ---

Sample Report Number		C1130710F				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								
PASS								

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory No.338 H05/ 1F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:50
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-16

Sample Report Number		C1130710G				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H06/ Building B 7F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 11:55
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-17

Sample Report Number		C1130710H				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 · 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H07 /Building A 7F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:00
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-18

Sample Report Number		C1130710I				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H08 /Building A 10F

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:05
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-19

Sample Report Number		C1130710J				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 · 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H09/ 1F water dispenser

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:10
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-20

Sample Report Number		C1130710K				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H10/ 12F water dispenser

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:15
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-21

Sample Report Number		C1130710L				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								
PASS								

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden Li H.R Consultant Co., Ltd
IndustrialType: ---
Sampling Site: Kaohsiung University dormitory H11/ 12F water dispenser

Client Number: YZ1131C3004
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 07/09/2024 12:20
Sample Received: 07/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 07/17/2024
Report Number: C1133004-22

Sample Report Number		C1130710M				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	07/10/2024 11:00	TGE Agar	1/0 · 0	NIEA E203.56B	100	
The END								

PASS