



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1131C3836
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：鎩興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：113年09月09日13時30分
採樣地點：高雄長春一館 B1/1F 飲水機 (高雄市湖內區)	收樣時間：113年09月10日
採樣單位：御安淨水企業有限公司	報告日期：113年09月19日
採樣方法：---	報告編號：C1133836-1
採樣行程代碼：---	

樣品報告編號		C1130910N				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年09月10日 11時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								
								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1131C3836
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：錄興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：113年09月09日13時35分
採樣地點：高雄長春一館 B2/2F 飲水機 (高雄市湖內區)	收樣時間：113年09月10日
採樣單位：御安淨水企業有限公司	報告日期：113年09月19日
採樣方法：---	報告編號：C1133836-2
採樣行程代碼：---	

樣品報告編號		C11309100				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年09月10日 11時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								
PASS								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1131C3836
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：錄興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：113年09月09日13時40分
採樣地點：高雄長春一館 B3/3F 飲水機 (高雄市湖內區)	收樣時間：113年09月10日
採樣單位：御安淨水企業有限公司	報告日期：113年09月19日
採樣方法：---	報告編號：C1133836-3
採樣行程代碼：---	

樣品報告編號		C1130910P				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年09月10日 11時00分	LES Endo Agar	1 倍/0, 0	NIEA E230.55B	6	
以下空白								
PASS								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：錄興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館 B4/4F 飲水機
 (高雄市湖內區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3836
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年09月09日13時45分
 收樣時間：113年09月10日
 報告日期：113年09月19日
 報告編號：C1133836-4

樣品報告編號		C1130910Q				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年09月10日 11時00分	LES Endo Agar	1倍/0.0	NIEA E230.55B	6	
以下空白		PASS						



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：錄興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館 B5/5F 飲水機
 (高雄市湖內區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3836
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年09月09日13時50分
 收樣時間：113年09月10日
 報告日期：113年09月19日
 報告編號：C1133836-5

樣品報告編號		C1130910R				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年09月10日 11時00分	LES Endo Agar	1倍/0.0	NIEA E230.55B	6	
以下空白								



元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1131C3836
委託者地址：桃園市平鎮區中豐路南勢二段 127 號	樣品基質：飲用水
受檢單位：錄興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：113年09月09日13時55分
採樣地點：高雄長春一館 B6/6F 飲水機 (高雄市湖內區)	收樣時間：113年09月10日
採樣單位：御安淨水企業有限公司	報告日期：113年09月19日
採樣方法：---	報告編號：C1133836-6
採樣行程代碼：---	

樣品報告編號		C1130910S				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
大腸桿菌群	CFU/100 mL	<1	113年09月10日 11時00分	LES Endo Agar	1倍/0,0	NIEA E230.55B	6	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段127號
 受檢單位：錄興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館B1/1F飲水機
 (高雄市湖內區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3836
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年09月09日13時30分
 收樣時間：113年09月10日
 報告日期：113年09月19日
 報告編號：C1133836-7

樣品報告編號		C1130910N				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年09月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								

PASS

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：錄興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館 B2/2F 飲水機
 (高雄市湖內區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3836
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年09月09日 13時35分
 收樣時間：113年09月10日
 報告日期：113年09月19日
 報告編號：C1133836-8

樣品報告編號		C11309100				檢驗方法	環保署飲用水標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年09月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								
PASS								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：鎩興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館 B3/3F 飲水機
 (高雄市湖內區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3836
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年09月09日13時40分
 收樣時間：113年09月10日
 報告日期：113年09月19日
 報告編號：C1133836-9

樣品報告編號		C1130910P				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年09月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								

PASS

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：錄興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館 B4/4F 飲水機
 (高雄市湖內區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3836
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年09月09日13時45分
 收樣時間：113年09月10日
 報告日期：113年09月19日
 報告編號：C1133836-10

樣品報告編號		C1130910Q				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年09月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								

PASS

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司
 委託者地址：桃園市平鎮區中豐路南勢二段 127 號
 受檢單位：錄興國際股份有限公司
 行業別：自述業別
 採樣地點：高雄長春一館 B5/5F 飲水機
 (高雄市湖內區)
 採樣單位：御安淨水企業有限公司
 採樣方法：---
 採樣行程代碼：---

委託編號：YZ1131C3836
 樣品基質：飲用水
 檢測目的：定檢
 採樣時間：113年09月09日13時50分
 收樣時間：113年09月10日
 報告日期：113年09月19日
 報告編號：C1133836-11

樣品報告編號		C1130910R				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年09月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								

元智大學環科中心檢測實驗室

樣品檢驗報告

委託單位：御安淨水企業有限公司	委託編號：YZ1131C3836
委託者地址：桃園市平鎮區中豐路南勢二段127號	樣品基質：飲用水
受檢單位：鎩興國際股份有限公司	檢測目的：定檢
行業別：自述業別	採樣時間：113年09月09日13時55分
採樣地點：高雄長春一館B6/6F飲水機 (高雄市湖內區)	收樣時間：113年09月10日
採樣單位：御安淨水企業有限公司	報告日期：113年09月19日
採樣方法：---	報告編號：C1133836-12
採樣行程代碼：---	

樣品報告編號		C1130910S				檢驗方法	環保署 飲用水 標準值	備註欄
原樣名稱或編號		飲用水						
檢測項目	單位	檢測值	開始培養時間	培養基名稱	原始數據			
總菌落數	CFU/mL	<5	113年09月10日 11時00分	TGE Agar	1倍/0,0	NIEA E203.56B	100	
以下空白								

PASS



Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

**Environmental Technology Research Center
 YUAN ZE UNIVERSITY
 Analysis Report**

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B1/ 1F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:30
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-1

Sample Report Number		C1130910N				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
			PASS					



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

**Environmental Technology Research Center
YUAN ZE UNIVERSITY**

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan
County, Taiwan (R.O.C.)
Plant: Golden -Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B2/ 2F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:35
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-2

Sample Report Number		C11309100				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
		PASS						



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center
YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B3/ 3F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:40
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-3

Sample Report Number		C1130910P				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								





Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
 YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden -Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B4/ 4F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:45
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 09/19/2024
Report Number: C1133836-4

Sample Report Number		C1130910Q				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/10/2024 11:00	LES Endo Agar	1/0 · 0	NIEA E230.55B	6	
The END								

PASS



Accreditation number by NERA : 041
(original Accreditation number by EPA : 041)

Environmental Technology Research Center

YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd

Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)

Plant: Golden –Brother International Co., Ltd.

IndustrialType: ---

Sampling Site: Kaohsiung Changchun 1st Building B5/ 5F Water Dispenser

Client Number: YZ1131C3836

Sample Base: Drinking Water

Test purpose: Regular inspection

Sampling Date: 09/09/2024 13:50

Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd

Report Date: 09/19/2024

Sampling Method: ---

Report Number: C1133836-5

Sampling Code: ---

Sample Report Number		C1130910R				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
PASS								



Accreditation number by NERA : 041
 (original Accreditation number by EPA : 041)

Environmental Technology Research Center
 YUAN ZE UNIVERSITY

Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B6/ 6F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:55
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-6

Sample Report Number		C1130910S				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking Water						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Coliform Group	CFU/100 mL	<1	09/10/2024 11:00	LES Endo Agar	1/0 , 0	NIEA E230.55B	6	
The END								
<div style="border: 2px solid blue; padding: 5px; display: inline-block; font-size: 2em; font-weight: bold;">PASS</div>								

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden -Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B1/ 1F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:30
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-7

Sample Report Number		C1130910N				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								
PASS								

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B2/ 2F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:35
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-8

Sample Report Number		C11309100				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B3/ 3F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:40
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-9

Sample Report Number		C1130910P				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/10/2024 11:00	TGE Agar	1/0 · 0	NIEA E203.56B	100	
The END								
			PASS					

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B4/ 4F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:45
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-10

Sample Report Number		C1130910Q				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/10/2024 11:00	TGE Agar	1/0 · 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B5/ 5F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:50
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---

Report Date: 09/19/2024
Report Number: C1133836-11

Sample Report Number		C1130910R				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/10/2024 11:00	TGE Agar	1/0 , 0	NIEA E203.56B	100	
The END								

PASS

Environmental Technology Research Center
YUAN ZE UNIVERSITY
Analysis Report

Client: Yuann International Technology Co., Ltd
Address: No.127, Nanshi Sec. 2, Zhongfeng Rd., Pingzhen City, Taoyuan
County, Taiwan (R.O.C.)
Plant: Golden –Brother International Co., Ltd.
IndustrialType: ---
Sampling Site: Kaohsiung Changchun 1st Building B6/ 6F Water Dispenser

Client Number: YZ1131C3836
Sample Base: Drinking Water
Test purpose: Regular inspection
Sampling Date: 09/09/2024 13:55
Sample Received: 09/10/2024

Sampling Organization: Yuann International Technology Co., Ltd
Sampling Method: ---
Sampling Code: ---
Report Date: 09/19/2024
Report Number: C1133836-12

Sample Report Number		C1130910S				Analytical Method	Drinking water standard of EPA	Remarks
Sample Name(Number)		Drinking fountain						
Analyzed Item	Unit	Analytical Value	Start Time of Incubating	Medium	Original Data			
Total Bacterial Count	CFU/mL	<5	09/10/2024 11:00	TGE Agar	1/0 · 0	NIEA E203.56B	100	
The END								
		PASS						