



台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司
業別：\*
樣品特性：水樣
樣品編號：NPD24B04613001
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.57A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：113年11月21日15時02分
至：113年11月21日15時06分
收樣時間：113年11月21日19時00分
報告日期：113年11月27日
報告編號：NPD24B04613001
聯絡人：陳癸分


Table with 3 columns: 樣品編號及位置, 大腸桿菌群 檢驗值(單位) NIEA E230.55B, 備註. Rows include 飲用水水質標準, NPD24B04613001 (7F-A), and 以下空白.

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

- 採樣：孫宏潔(FII-03)。
2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5x10^2。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢驗。絕無虛偽用章。如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處份及刑事處罰。
(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：葉峻榕



頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions閱覽，凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司專先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號



飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司
業 別：\*
樣品特性：水樣
樣品編號：NPD24B04613002
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.57A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：113年11月21日 15時02分
至：113年11月21日 15時06分
收樣時間：113年11月21日 19時00分
報告日期：113年11月27日
報告編號：NPD24B04613002
聯絡人：陳癸分

Table with 3 columns: 樣品編號及位置, 大腸桿菌群 檢驗值(單位) NIEA E230.55B, 備註. Rows include 飲用水水質標準 and NPD24B04613002 (7F-B).

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)。

2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。


4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測... (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員... 之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：葉峻榕



頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions閱覽，凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

飲用水樣品檢測報告




受驗單位：錄興國際股份有限公司
業別：\*
樣品特性：水樣
樣品編號：NPD24B04613003
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.57A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：113年11月21日15時02分
至：113年11月21日15時06分
收樣時間：113年11月21日19時00分
報告日期：113年11月27日
報告編號：NPD24B04613003
聯絡人：陳癸分

Table with 3 columns: 樣品編號及位置, 大腸桿菌群 檢驗值(單位) NIEA E230.55B, 備註. Rows include 飲用水水質標準 and NPD24B04613003 (7F-C) with values 6 (CFU/100mL) and <1 (CFU/100mL).

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
採樣：孫宏潔(FII-03)。
2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5x10^2。
聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示及監督下，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分。(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員環境實驗室報告條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。
公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：葉峻榕



此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions閱覽，凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權之變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614001  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614001  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614001 (6F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

**報告專用章**  
 台灣檢驗科技股份有限公司  
 環境實驗室-台北  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

3003



# 台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業 別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614002  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日 14時16分  
 至：113年11月21日 15時00分  
 收樣時間：113年11月21日 19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614002  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614002 (6F-B)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FIL-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉明樞

### 報告專用章

台灣檢驗科技股份有限公司  
 環境實驗室 台北

負責人：李仁燮 頁次(1/1)  
 檢驗室主管：葉明樞

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWE 2429995



# 台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業 別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614003  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614003  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614003 (6F-A)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)。

2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：葉峻榕

**報告專用章**  
 台灣檢驗科技股份有限公司  
 環境實驗室-台北  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWE2429996



# 台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業 別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614004  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日 14時16分  
 至：113年11月21日 15時00分  
 收樣時間：113年11月21日 19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614004  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614004 (5F-A)	<1 (CFU/100mL)	
以下空白		

**備註：** 1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。  
**聲明書：** (一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

**報告專用章**  
 台灣檢驗科技股份有限公司  
 環境實驗室-台北  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWE 2429997

台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

飲用水樣品檢測報告



受驗單位：錄興國際股份有限公司
業別：\*
樣品特性：水樣
樣品編號：NPD24B04614005
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.57A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：113年11月21日14時16分 至：113年11月21日15時00分
收樣時間：113年11月21日19時00分
報告日期：113年11月27日
報告編號：NPD24B04614005
聯絡人：陳癸分

Table with 3 columns: 樣品編號及位置, 大腸桿菌群檢驗值(單位) NIEA E230.55B, 備註. Rows include 飲用水水質標準 and NPD24B04614005 (5F-B) with values 6 (CFU/100mL) and <1 (CFU/100mL).

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
採樣：孫宏潔(FII-03)。
2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5x10^2。
聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁
報告專用章
台灣檢驗科技股份有限公司
環境實驗室-台北
負責人：李仁燮
檢驗室主管：葉峻榕

公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：葉峻榕

報告專用章
台灣檢驗科技股份有限公司
環境實驗室-台北
負責人：李仁燮
檢驗室主管：葉峻榕

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions閱覽，凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號



飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司
業別：\*
樣品特性：水樣
樣品編號：NPD24B04614006
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.57A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：113年11月21日14時16分
至：113年11月21日15時00分
收樣時間：113年11月21日19時00分
報告日期：113年11月27日
報告編號：NPD24B04614006
聯絡人：陳癸分

Table with 3 columns: Sample Number and Location, Coliforms (CFU/100mL), and Remarks. Row 1: NPD24B04614006 (5F-C), 6 CFU/100mL. Row 2: 以下空白, <1 CFU/100mL.

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
採樣：孫宏潔(FIL-03)。
2.測定值低於方法偵測極限(MDL)時，以"ND<MDL"表示；若高於MDL但低於檢量線最低濃度時，以"<檢量線最低濃度值"表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5x10^2。
聲明書：(一)茲保證本機構實驗室分析之樣品，自本實驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。
(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。
公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：葉峻楷

報告專用章
台灣檢驗科技股份有限公司
環境實驗室-台北
負責人：李仁燮
檢驗室主管：葉峻楷

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions... 凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

# 台灣檢驗科技股份有限公司



環境部許可證字號：環境部國環檢證字第035號

## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614007  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日 14時16分  
 至：113年11月21日 15時00分  
 收樣時間：113年11月21日 19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614007  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614007 (4F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
採樣：孫宏潔(FII-03)。

2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構實驗室分析之樣品，自本實驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

報告專用章  
 台灣檢驗科技股份有限公司  
 環境實驗室-台北  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權之變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

飲用水樣品檢測報告


受驗單位：錄興國際股份有限公司
業別：\*
樣品特性：水樣
樣品編號：NPD24B04614008
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.57A
採樣地點：新竹市

檢測目的：定期檢測
採樣時間：113年11月21日14時16分 至：113年11月21日15時00分
收樣時間：113年11月21日19時00分
報告日期：113年11月27日
報告編號：NPD24B04614008
聯絡人：陳癸分

Table with 3 columns: 樣品編號及位置, 大腸桿菌群檢驗值(單位) NIEA E230.55B, 備註. Rows include 飲用水水質標準 and NPD24B04614008 (4F-B).

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
採樣：孫宏潔(FII-03)。
2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5x10²。

公司名稱：台灣檢驗科技股份有限公司
負責人：李仁燮
檢驗室主管：葉峻



此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions閱覽，凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



# 台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號

## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業 別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614009  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日 14時16分  
 至：113年11月21日 15時00分  
 收樣時間：113年11月21日 19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614009  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614009 (4F-A)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為 $1.5 \times 10^2$ 。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峰

**報告專用章**

台灣檢驗科技股份有限公司  
環境實驗室-台北  
負責人：李仁燮  
檢驗室主管：葉峰

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權之變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWE2430002



飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614010  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614010  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614010 (3F-A)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構實驗室分析之樣品，自本實驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 實驗室主管：葉峻榕

**報告專用章**  
 台灣檢驗科技股份有限公司  
 環境實驗室-台北  
 負責人：李仁燮  
 實驗室主管：葉峻榕

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWE 2430003

# 台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號



## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司

業別：\*

樣品特性：水樣

樣品編號：NPD24B04614011

採樣單位：台灣檢驗科技股份有限公司

採樣方法：NIEA W101.57A

採樣地點：新竹市

檢測目的：定期檢測

採樣時間：113年11月21日14時16分

至：113年11月21日15時00分

收樣時間：113年11月21日19時00分

報告日期：113年11月27日

報告編號：NPD24B04614011

聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614011 (3F-B)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

採樣：孫宏潔(FII-03)。

2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，

以“<檢量線最低濃度值”表示，並括號註明實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，

完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，

如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。


(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例

之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司

負責人：李仁燮

檢驗室主管：葉峻



負責人：李仁燮  
檢驗室主管：葉峻

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614012  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614012  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614012 (3F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FIL-03)。


2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：

**報告專用章**  
 台灣檢驗科技股份有限公司  
 環境實驗室 台北  
 負責人：李仁燮  
 檢驗室主管：葉峻峰

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

# 台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號



## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614013  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614013  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614013 (2F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。  
 聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻楷

報告專用章

台灣檢驗科技股份有限公司  
 環境實驗室-台北

負責人：李仁燮  
 檢驗室主管：葉峻楷

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。







飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614015  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614015  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614015 (2F-A)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

**報告專用章**  
 台灣檢驗科技股份有限公司  
 環境實驗室-台北  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。




飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業 別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614016  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614016  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614016 (辦公室)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。  
 聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。  
 公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻樞



此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

台灣檢驗科技股份有限公司

環境部許可證字號：環境部國環檢證字第035號



飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614017  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614017  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614017 (1F餐廳)	<1 (CFU/100mL)	
以下空白		

**備註：** 1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FIL-03)。

2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。


3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

**聲明書：** (一)茲保證本機構實驗室分析之樣品，自本實驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁變  
 檢驗室主管：葉煥



頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站http://www.sgs.com.tw/Terms-and-Conditions中查詢，凡電子文件之格式依http://www.sgs.com.tw/Terms-and-Conditions之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

2002

# 台灣檢驗科技股份有限公司



環境部許可證字號：環境部國環檢證字第035號

## 飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614018  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614018  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614018 (第二棟2F-A)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。

2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，

以“<檢量線最低濃度值”表示，並括號註明實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

**報告專用章**

台灣檢驗科技股份有限公司

環境實驗室-台北

負責人：李仁燮

檢驗室主管：葉峻榕

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions> 閱覽，凡電子文件之格式依 <http://www.sgs.com.tw/Terms-and-Conditions> 之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614019  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日 14時16分  
 至：113年11月21日 15時00分  
 收樣時間：113年11月21日 19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614019  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614019 (第二棟2F-B)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FI1-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

**報告專用章**  
 台灣檢驗科技股份有限公司  
 環境實驗室-台北  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

台灣檢驗科技股份有限公司



環境部許可證字號：環境部國環檢證字第035號

飲用水樣品檢測報告

受驗單位：錄興國際股份有限公司  
 業 別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614020  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日14時16分  
 至：113年11月21日15時00分  
 收樣時間：113年11月21日19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614020  
 聯絡人：陳癸分


樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614020 (第二棟2F-C)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。

- 測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
- 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。
- 菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人／申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實。如有違反，就政府機關所受損失願自連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：[簽名]



負責人：李仁燮 頁次(1/1)  
 檢驗室主管：[簽名]

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

TWE2430013

2002








飲用水樣品檢測報告

受驗單位：鎩興國際股份有限公司  
 業別：\*  
 樣品特性：水樣  
 樣品編號：NPD24B04614022  
 採樣單位：台灣檢驗科技股份有限公司  
 採樣方法：NIEA W101.57A  
 採樣地點：新竹市

檢測目的：定期檢測  
 採樣時間：113年11月21日 14時16分  
 至：113年11月21日 15時00分  
 收樣時間：113年11月21日 19時00分  
 報告日期：113年11月27日  
 報告編號：NPD24B04614022  
 聯絡人：陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614022 (第二棟2F-E)	<1 (CFU/100mL)	
以下空白		

備註：1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FII-03)。  
 2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。  
 3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。  
 4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。  
 聲明書：(一)茲保證本機構實驗室分析之樣品，自本實驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。  
 (二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。  
 公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：陳癸分



負責：李仁燮  
 檢驗室主管：陳癸分

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

台灣檢驗科技股份有限公司



環境部許可證字號：環境部國環檢證字第035號

飲用水樣品檢測報告

受驗單位： 錄興國際股份有限公司  
 業 別： \*

樣品特性： 水樣  
 樣品編號： NPD24B04614023  
 採樣單位： 台灣檢驗科技股份有限公司  
 採樣方法： NIEA W101.57A

採樣地點： 新竹市

檢測目的： 定期檢測  
 採樣時間： 113年11月21日14時16分  
 至： 113年11月21日15時00分  
 收樣時間： 113年11月21日19時00分  
 報告日期： 113年11月27日  
 報告編號： NPD24B04614023  
 聯絡人： 陳癸分

樣品編號及位置	大腸桿菌群 檢驗值(單位) NIEA E230.55B	備註
飲用水水質標準	6 (CFU/100mL)	
NPD24B04614023 (B1F-A)	<1 (CFU/100mL)	
以下空白		

**備註：** 1.本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：  
 採樣：孫宏潔(FIL-03)。

2.測定值低於方法偵測極限(MDL)時，以“ND<MDL”表示；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。

3.本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

4.菌落數若大於100以上時，數據以科學符號表示，例如1.5E+02，即為1.5×10<sup>2</sup>。

**聲明書：** (一)茲保證本機構實驗室分析之樣品，自本實驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照環境部及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司  
 負責人：李仁燮  
 檢驗室主管：葉峻榕

**報告專用章**

台灣檢驗科技股份有限公司  
 環境實驗室-台北

負責人：李仁燮  
 檢驗室主管：葉峻榕

頁次(1/1)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



# Analytical Report

Report no.: NPD24B04613004

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04613001  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024  
 Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04613001 (7F-A)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf or available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 4341566



# Analytical Report

Report no.: NPD24B04613005

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04613002  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04613002 (7F-B)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 4341567

## Analytical Report

Report no.: NPD24B04613006

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

**Description:**

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04613003  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024  
 Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04613003 (7F-C)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614024

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614001  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614001 (6F-C)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.

 *Zachary Yeh*  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614025

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:


Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614002  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614002 (6F-B)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.

  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614026

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614003  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614003 (6F-A)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.

 *Zachary Yeh*  
 Zachary Yeh, M.P.R./ Asst. Manager  
 CONTROL FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





# Analytical Report

Report no.: NPD24B04614027

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614004  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614004 (5F-A)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614028

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614005  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614005 (5F-B)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.

  
 Zachary Yeh, M.R./ Asst. Manager  
 ISSUED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/ET&S/and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relates to the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 4341615

# Analytical Report

Report no.: NPD24B04614029

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


**Description:**

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614006  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

**Test Results :**

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614006 (5F-C)	<1 (CFU/100mL)	
---		

- Remarks:**
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.

  
 Zechang Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614030

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

### Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614007  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

### Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614007 (4F-C)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
SIGNED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 4341617

1002



# Analytical Report

Report no.: NPD24B04614031

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614008  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614008 (4F-B)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
SIGNED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614032

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614009  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614009 (4F-A)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
ISSUED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Analytical Report

Report no.: NPD24B04614033

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

**Description:**

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614010  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

**Test Results :**

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614010 (3F-A)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

1003



# Analytical Report

Report no.: NPD24B04614034

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

### Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614011  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

### Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614011 (3F-B)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
SIGNED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request, accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





# Analytical Report

Report no.: NPD24B04614035

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614012  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614012 (3F-C)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
SIGNED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 4341622

## Analytical Report

Report no.: NPD24B04614036

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

**Description:**

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614013  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

**Test Results :**

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614013 (2F-C)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.P.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614037

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

### Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614014  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date: : Nov. 21, 2024  
 Received date : Nov. 21, 2024

### Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614014 (2F-B)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.R./ Asst. Manager  
SIGNED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614038

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.

Matrix : Water

Sample no. : NPD24B04614015

Sampled by : SGS Taiwan Ltd.

Sampling method : NIEA W101.57A

Sampling location :

Analytical purpose : Periodic monitoring

Sampled date : Nov. 21, 2024

Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614015 (2F-A)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
Zachary Yeh, M.P.R./ Asst. Manager

SIGNED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained in report reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 4341625



# Analytical Report

Report no.: NPD24B04614039

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

### Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614016  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

### Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614016 (Office)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 4341626

# Analytical Report

Report no.: NPD24B04614040

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

**Description:**

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614017  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

**Test Results :**

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614017 (1F Restaurant)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available in English or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Analytical Report

Report no.: NPD24B04614041

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

**Description:**

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614018  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

**Test Results :**

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614018 (Second building 2F-A)	<1 (CFU/100mL)	
----		

- Remarks:
- This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  - Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  - If there are any discrepancy, the Mandarin version shall prevail.
  - When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.P.R./ Asst. Manager

SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614042

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614019  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614019 (Second building 2F-B)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.

  
 Zachary Yeh  
 Zachary Yeh, M.R./ Asst. Manager  
 GRANTED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





# Analytical Report

Report no.: NPD24B04614043

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614020  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614020 (Second building 2F-C)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.P.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614044

Page no.: 1 OF 1

Date reported: Nov. 27, 2024


## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614021  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614021 (Second building 2F-D)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.

  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not create parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Analytical Report

Report no.: NPD24B04614045

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

## Description:

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614022  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

## Test Results :

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614022 (Second building 2F-E)	<1 (CFU/100mL)	
---		

- Remarks: 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.  
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.  
 3. If there are any discrepancy, the Mandarin version shall prevail.  
 4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*

Zachary Yeh, M.R./ Asst. Manager  
SIGNED FOR AND ON BEHALF OF  
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Analytical Report

Report no.: NPD24B04614046

Page no.: 1 OF 1

Date reported: Nov. 27, 2024

**Description:**

Client name : GOLDEN BROTHER INTERNATIONAL CO., LTD.  
 Matrix : Water  
 Sample no. : NPD24B04614023  
 Sampled by : SGS Taiwan Ltd.  
 Sampling method : NIEA W101.57A  
 Sampling location :  
 Analytical purpose : Periodic monitoring  
 Sampled date : Nov. 21, 2024  
 Received date : Nov. 21, 2024

**Test Results :**

Sample Details	Coliform Group Test Results (Unit) NIEA E230.55B	Remark
Drinking Water Standards	6 (CFU/100mL)	
NPD24B04614023 (B1F-A)	<1 (CFU/100mL)	
---		

- Remarks:
1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
  2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
  3. If there are any discrepancy, the Mandarin version shall prevail.
  4. When the colony-forming unit is greater than 100, the data is indicated with scientific notation. For example, 1.5E+02 is indicated as 1.5 x 10<sup>2</sup>.



*Zachary Yeh*  
 Zachary Yeh, M.R./ Asst. Manager  
 SIGNED FOR AND ON BEHALF OF  
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without the prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.